Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
#	1110	Scarcii Quei y	003	Operator	Fluidis	Time Stamp
L1	180	(315/88).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/19 16:28
L2	1	((first near load) and (second load) and transformer and current and ((low\$1pass or (low near pass)) near filter) and illuminat\$4 and (impedance or resistor)).clm.	US-PGPUB; USPAT	OR	ON	2006/06/19 16:30
S1	194	(315/192).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/19 13:47
S2	1373	driving adj (apparatus or circuit\$4) and load\$1 and transformer\$1 and (AC or (alternating adj current)) and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:49
S3	1048	S2 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:49
S4	317	S3 and (illuminat\$3 or EL or elctro\$1luminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:50
S5	1169	(low adj pass adj filter) and load and (transformer or coil or inductor) and (AC or (alternating adj current)) and impedance and induced	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:51
S6	2525	(driving near circuit\$4) and (current with transformer) and (impedance or resistor) and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:52
S7	279	S6 and (low with pass with filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:53

S8	4937	transformer and filter and "315"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:54
S9	4371	S8 and (impedance or resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/06/19 13:54
S10	3803	S9 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:55
S11	2738	S10 and (AC or (alternating near current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:55
S12	393	S11 and (low-pass or (low adj pass))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:55
S13	1827	(el or electro\$1luminescent) and transformer and (low with pass with filter) and (resistor or impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:56
S14	1753	S13 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:57
S15	1093	S14 and (AC or (alternating near current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:57

S16	45	S15 and (driving near circuit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:57
S17	25	(video near projector) and transformer and resistor and (low with pass with filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:59
S18	135	(video adj projector) and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 13:59
S19	113	(driving near circuit\$4) and (coil with coupling) and (electro\$1luminescent or el)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:00
S20	908	(315/248).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/19 14:00
S21	30	(EL or electro\$1luminescent) and (low with pass with filter) and "336"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:01
S22	187	(video near projector) and driving and (coupling or transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:02
S23	1445	(low adj pass adj filter) and (transformer) and (AC or (alternating near current)) and RC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:07
S24	330	S23 and (EL or electro\$1luminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:08

,			<u>-</u>			
S25	600	(driving adj circuit\$4) and (el or electro\$1luminescent) and (transformer or (coil with coupling))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:08
S26 	1837	(indicat\$4) and (fluorescent or discharge or illuminat\$4) and (315/276.ccls. or 315/291.ccls. or 315/244.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:09
S27	1071	S26 and load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:09
S28	763	S27 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:10
S29	11358	indicat\$4 and (illuminat\$3 or fluorescent or discharge) and (transformer same load) and (AC or (alternating near current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:12
S30	751	S29 and (315/276.ccls. or 315/307. ccls. or 315/291.ccls. or 315/244. ccls. or 315/224.ccls. or 315/219. ccls. or 315/209R.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:14
S31	771	S29 and (315/276.ccls. or 315/307. ccls. or 315/291.ccls. or 315/244. ccls. or 315/224.ccls. or 315/219. ccls. or 315/209R.ccls. or 315/56. ccls. or 315/57.ccls. or 315/58.ccls. or 315/59.ccls. or 315/60.ccls. or 315/61.ccls. or 315/62.ccls. or 315/63.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:16
S32	468	(transformer and load) and (315/78.ccls. or 315/79.ccls. or 315/80.ccls. or 315/81.ccls. or 315/82.ccls. or 315/83.ccls. or 315/88.ccls. or 307/139.ccls. or 307/140.ccls. or 307/141.ccls. or 307/142.ccls. or 307/143.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:18

Γ	<u> </u>		<u> </u>		ı	η
S33	26	S32 and (((primaryor first) near2 winding) same ((connect\$4 or coupl\$4) with (load or lamp or receiver)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:43
S34	102	S32 and (((primary or first) near2 winding) same ((connect\$4 or coupl\$4) with (load or lamp or receiver)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:19
S35	2	(video near projector) same ((electro\$1luminescent or EL) near lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:44
S36	148	((electro\$1luminescent or EL) near lamp) same transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:44
S37	262	(lamp or light\$4) same (transformer same (low\$1pass near filter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:45
S38	297	transformer with driv\$4 with (EL or electro\$1luminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/06/19 14:46
S39	421	projector and (driv\$4 with transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:46
S40	5	(low\$1pass near filter) with parallel with (ligh\$4 or lamp) with transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:47

S41	67	(low\$1pass near filter) same parallel same (light\$4 or lamp) same transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:47
S42	108422	low\$1pass filter with transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:48
S43	1231	(low\$1pass near filter) with transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:48
S44	16	S43 and ((first and second) near2 load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:49
S45	78	(362/515).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/19 14:49
S46	252	(362/528).CCLS.	US-PGPUB; USPAT; USOCR	ÖR	OFF	2006/06/19 14:49
S47	1005	(315/276).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/19 14:49
S48	194	(315/192).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/19 14:49
S49	2495	(315/209R).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/19 14:50
S50	2931	(315/291).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/19 14:50

			vsp:1]		<u> </u>			16 1 3	<u> </u>
			Window Help					, , , , , , , , , , , , , , , , , , ,	_161
			6 8 21 M		11				
	Drafts					Prowee Queue Qear			
	Pendi	_			DBs US-PGPUB; U			₽ Burals	
- A	Activ	9			Default operator: OR	•		l⊽ <u>H</u> ighligh	s all his terms initially
t -	∜ L1	: (1	80) (315/88).0	cces] ((first near	load) and (second	load) and tra	nsformer and cu	irrent -
	-% L2	: (1)) ((first near le	oad) and (se	11	lpass or (low near		ilter) and illumin	at\$4
- 3	Failed	1			and (imped	ance or resistor)).c	olm.		
-	− % tra	nsf	ormer with d	riv\$\$ with (E					•
_	-	-	_		A BRS form A IS&F	Rform Marge Name HT	ML		
	Tu	า	Document	I Issue Dat F	Page	Title	Current OR	Current XR Re	trieval
	+		US	20040916 8		ic device with	 	315/209CD;	
	-	┟┍╵	2004017874			tion circuit and EL	1	315/244;	
	'	١,	.5 A1	:	device u	itilizing the same		315/360	
			· 4			and the second s			
							Antonia Hiller (1915)		
	ž								
	ž								
	8								
	÷								